

Fanuc

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F101	A290-8021-X763 A290-8021-X764 A290-8021-X765 A290-8021-X766 A290-8021-X767	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Upper	O. P. Q. R. T. W series Manual type Φ22xΦ6xΦ5x28mmL Flush hole Φ0.5
	F102	A290-8021-X773 A290-8021-X774 A290-8021-X775 A290-8021-X776 A290-8021-X777	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Lower	O. P. Q. R. T. W series Manual type Φ22xΦ6xΦ5x28mmL Flush hole Φ1.5
	F103	A290-8032-X773 A290-8032-X774 A290-8032-X775 A290-8032-X776 A290-8032-X777	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Upper	V. T. W series AWF type Φ22xΦ6xΦ6 x28~31.5mmL Flush hole Φ0.5
	F104A	A290-8032-X732 A290-8032-X734 A290-8032-X735 A290-8032-X736 A290-8032-X737	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Lower	V. T. W series Simple type for AWF Φ22xΦ8xΦ6 x33.5~34.5mmL
	F104M	A290-8032-X732 A290-8032-X734 A290-8032-X765 A290-8032-X766 A290-8032-X767	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Lower	V. T. W series Manual type for taper 30° Φ22xΦ8xΦ6 x33.5~34.5mmL
	F106	A290-8011-X831 A290-8011-X833 A290-8011-X834 A290-8011-X865	Φ0.105 Φ0.205 Φ0.255 Φ0.305	Common	K. M. N. L series Manual type 330A Power supply
	F108	A290-8011-X753 A290-8011-X754 A290-8011-X755	Φ0.205 Φ0.255 Φ0.305	Common	K. M. N. L series Manual type 60A Power supply
	F110	A290-8101-X730 A290-8101-X732 A290-8101-X733 A290-8101-X734 A290-8101-X735	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Upper	α-A. B. C. iA. iB series Manual type
	F111	A290-8101-X740 A290-8101-X742 A290-8101-X743 A290-8101-X744 A290-8101-X745	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Lower	α-A. B. C. iA. iB series Manual type
	F112	A290-8092-X702 A290-8092-X704 A290-8092-X705 A290-8092-X706 A290-8092-X707	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Upper	α-A. B. C. iA. iB series AWF type

Fanuc

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F112T	A290-8112-Z725 A290-8112-Z705 A290-8112-Z726 A290-8112-Z706	Φ0.205 Φ0.205 Φ0.255 Φ0.255	Upper	α-A. B. C. iA. iB. iC series AWF type Taper 30°~45°
	F113	A290-8092-X712 A290-8092-X714 A290-8092-X715 A290-8092-X716 A290-8092-X717	Φ0.105 Φ0.155 Φ0.205 Φ0.255 Φ0.305	Lower	α-A. B. C. iA. iB series AWF type Replaced by A290-8110-X712~717
	F113T	A290-8112-Z735 A290-8112-Z715 A290-8112-Z736 A290-8112-Z716	Φ0.205 Φ0.205 Φ0.255 Φ0.255	Lower	α-A. B. C. iA. iB. iC series AWF type Taper 30°~45°
	F114	A290-8104-Y714 A290-8104-Y715 A290-8104-Y716 A290-8104-Y717	Φ0.155 Φ0.205 Φ0.255 Φ0.305	Upper	α-A. B. C. iA. iB. iC. iD. iE series AWF type High accuracy type
	F114A	A290-8104-Y704 A290-8104-Y705 A290-8104-Y706 A290-8104-Y707	Φ0.152 Φ0.202 Φ0.252 Φ0.302	Upper	α-A. B. C. iA. iB. iC. iD. iE series AWF type High accuracy type
	F114B	A290-8114-Z725 A290-8114-Z726	Φ0.205 Φ0.255	Upper	α-A. B. C. iA. iB. iC. iD. iE series AWF type / For taper 30°
	F114C	A290-8112-Z705 A290-8112-Z706	Φ0.205 Φ0.255	Upper	α-A. B. C. iA. iB. iC. iD. iE series AWF type / For taper 45°
	F115	A290-8119-Y714 A290-8119-Y715 A290-8119-Y716 A290-8119-Y717	Φ0.155 Φ0.205 Φ0.255 Φ0.305	Lower	α-A. B. C. iA. iB. iC. iD. iE series AWF type High accuracy type
	F115A	A290-8119-Y704 A290-8119-Y705 A290-8119-Y706 A290-8119-Y707	Φ0.152 Φ0.202 Φ0.252 Φ0.302	Lower	α-A. B. C. iA. iB. iC. iD. iE series AWF type High accuracy type
	F115B	A290-8114-Z735 A290-8114-Z736	Φ0.210 Φ0.260	Lower	α-A. B. C. iA. iB. iC. iD. iE series AWF type / For taper 30°
	F115C	A290-8112-Z715 A290-8112-Z716	Φ0.210 Φ0.260	Lower	α-A. B. C. iA. iB. iC. iD. iE series AWF type / For taper 45°
	F120A	A290-8110-Y726	Φ1.0	Upper	α-A. B. C. iA. iB series AWF type / Sub guide / 2-flat cut on flange Φ23.2 - 2Cut of 22.1

Fanuc

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F120B	A290-8109-X753	Φ1.0	Upper	α-A. B. C. iA. iB series AWF type / Sub guide / 3-flat cut on flange Φ23.2 - 2Cut of 22.1 & 1Cut of 21
	F120C	A290-8109-X753	Φ1.0	Upper	α-A. B. C. iA. iB series AWF type / Sub guide 4-flat cut on flange
	F121	A290-8110-Y774	Φ1.0	Lower	α-A. B. C. iA. iB series AWF type / Sub guide Replaced by F124
	F122	A290-8101-X753	Φ0.35	Upper	α-A. B. C. iA. iB series AWF type / Sub guide
	F123	A290-8037-X645	Φ0.40	Upper	W-series Sub die guide
	F124A	A290-8110-Y774	Φ11xΦ1.0	Lower	α-A. B. C. iA. iB series AWF type / Sub die guide Full ceramic - Flange OD 11mm
	F124B	A290-8110-Y774	Φ12xΦ1.0	Lower	α-A. B. C. iA. iB series AWF type / Sub die guide Full ceramic - Flange OD 12mm
	F125	A290-8102-Y754 A290-8102-Y755 A290-8102-Y756 A290-8102-Y757 A290-8102-Y761	Φ1.8 Φ0.8 Φ1.5 Φ0.5 Φ1.0	Upper	α-A. B. C. iA. iB series Jet nozzle Stainless housing+Ceramic insert
	F126	A290-8102-X723	Φ58x19T	Upper	α-A. B series AWF type Nozzle base with 4 side hole
	F127	A290-8110-Y723	Φ58x19T	Upper	α-C, iA. series AWF type Nozzle base with 5 side hole
	F128A	A290-8104-X620 A290-8102-X620	Φ0.35 Φ0.55	Upper	α-A. B. C. iA. iB series Sub guide OD10 x ID0.3-0.5 x 14mm
	F129	A97L-0201-0490	Φ1.5		α-A. B. C. iA. iB series Jet nozzle Stainless housing+Ceramic insert
	F129-1	A27L-0201-0490	#80 - Φ1.5 #136 - Φ2.0		α-iA series Jet nozzle Stainless housing+Ceramic insert

Fanuc

Power Feed Contact

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F001	A97L-0001-0664	Φ25xΦ9x10	Lower	O. P. Q. R. T. V. W1.2.3.4 series AWF type
	F002	A97L-0126-0001	Φ16xΦ6x6.3	Common	O. P. Q. R. T. V. W1.2.3.4 series Manual type
	F003	A290-8008-X107	Φ8xΦ4x10	Common	K. I. N. M series
	F004	A290-8032-Z882	Φ16xΦ6x6.3	Common	W1.2.3.4 series AWF type
	F005	A290-8101-X750	2.8x7.7x23	Common	α-0A. 1A. 0B. 1B series Manual & AWF type
	F006L	A290-8110-X750	4x12x30	Common	α-C. iA. iB series Manual & AWF type
	F006A	A290-8110-X750	4x12x23	Common	α-C. iA. iB series Manual & AWF type Ref : F006L
	F006B	A290-8008-X107	3x12x30	Common	α-0B. 0C series Manual & AWF type
	F007	A290-8048-X759	Φ15/6.25x6H	Upper	W-0 series
	F008	A290-8119-Z780	4x10x26	Common	α-1iD.1iE series Manual & AWF type
	F008L		4x10x30	Common	α-1iE series Manual & AWF type

Fanuc

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F201	~ ~ A290-8021-Y745 A290-8021-Y705	Φ 3 Φ 4 Φ 5.5 Φ 8.0	Common	O. P. Q. R. T. W series Manual type 3 Hole type
	F201L			Lower	O. P. Q. R. T. W series Manual type
	F202	~ ~ A290-8021-Y755	Φ 3 Φ 4 Φ 5.5	Lower	O. P. Q. R. T. W series Manual type 1 Hole type
	F204	A290-8037-X879 A290-8037-X870	Φ5.5 Φ13	Lower	W-1.2.3.4 series AWF type
	F205	A290-8032-Y611	Φ5.5	Upper	W-1.2.3.4 series AWF type
	F206-1	A290-8021-V722	36x21.5	Common	O. P. Q. R. T. W series Nozzle cap for F201 & 202 Material : Stainless steel
	F206-2	A290-8021-V722	36x21.5	Common	O. P. Q. R. T. W series Nozzle cap for F201 & 202 Material : Brass
	F206-3			Common	O. P. Q. R. T. W series Stainless nozzle cap for F201/202
	F206s			Common	O. P. Q. R. T. W series Nozzle dies holder set for F201/202
	F207	A290-8048-X771	Φ7	Upper	W-0 series Manual type Φ24x15.30H
	F208	A290-8048-X772	Φ7	Lower	W-0 series Manual type Φ24x15.65H
	F209	A290-8111-X772 A290-8111-X774 A290-8111-X776	Φ2 Φ4 Φ6.5	Upper	α-A. B. C. iA. iB series Manual type OD40x38H
	F210	A290-8101-X755	Φ16	Lower	α-A. B. C. iA. iB series Nozzle holder for F211 OD40x23H

Fanuc

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F211	A290-8103-X774 A290-8101-X774 A290-8101-X756 A290-8101-X777	Φ2 Φ4 Φ6.5 Φ10	Lower	α-A. B. C. iA. iB series Manual type OD27x16H
	F212	A290-8104-X775 A290-8102-X775 A290-8102-X751 A290-8102-X752	Φ2 Φ4 Φ6.5 Φ12	Upper	α-A. B. C. iA. iB series AWF type OD40x23.5H Acetal
	F212-1	A290-8104-X775 A290-8102-X775 A290-8102-X751 A290-8102-X752	Φ2 Φ4 Φ6.5 Φ12	Upper	α-A. B. C. iA. iB series AWF type OD40x23.5H Acryl
	F213	A290-8104-X774 A290-8102-X774 A290-8102-X771 A290-8102-X772	Φ2.0 Φ4 Φ6.5 Φ12	Lower	α-A. B. C. iA. iB series AWF type OD40x25H Acetal
	F213-1	A290-8104-X774 A290-8102-X774 A290-8102-X771 A290-8102-X772	Φ2.0 Φ4 Φ6.5 Φ12	Lower	α-A. B. C. iA. iB series AWF type OD40x25H Acryl
	F218	~ ~ A290-8109-X776	Φ2.0 Φ4.0 Φ6.5	Upper	α-0C. 1C series Manual type A : OD40x30H. B : OD40x34H
	F218-1	A290-8109-X776	Φ6.5	Upper	α-0C. 1C series Manual type OD40x30H
	F219	A290-8119-Z791 A290-8119-Z786 A290-8119-Z787 A290-8119-Z788	Φ2.0 Φ4.0 Φ6.5 Φ12	Lower	α-iE series F219-2 Φ2mm, F219-4 Φ4mm F219-6.5 Φ6.5mm, F219-12 Φ12mm
	F219L	A290-8119-Z786	Φ4.0 L=7mm	Lower	α-iE series
	F221	A290-8119-Z787	Φ6.5	Lower	α-iE series
	F222	A290-8119-Z788	Φ12 L=7mm	Lower	α-iE series

Fanuc

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F301	A290-8005-X722		Lower	L series Manual type / Ceramic plate
	F302	A290-8021-X709	63x75x10T	Lower	O. P. Q. R. T. W series Ceramic plate
	F303	A290-8032-X334	39x73.6x12T	Lower	W-4 series AWF type / Ceramic plate
	F303W	A290-8048-X333	56x73x10T	Lower	W-3 series Semi-AWF type / Ceramic plate
	F304	A290-8021-X602	51x33x29T	Upper	O. P. Q. R. T. W series Urethane plate
	F304A	A290-8037-X692	51x31x30T	Upper	O. P. Q. R. T. W series Urethane plate
	F305	A290-8101-X509	40x40x34T	Upper	α-A. B series Urethane plate
	F305A	A290-8102-X600	27x70x48T	Upper	α-A. B. C series AWF type / Urethane guide base
	F305B	A290-8110-X600	27x70x35T	Upper	α-1iA series Urethane guide base
	F306	A290-8110-X312	Φ72x15T	Lower	α-A. B. C series Type A / Urethane plate Ref : Old no. A290-8101-X312
	F306A	A290-8110-Y312	Φ72x10T	Lower	α-A. B. C series Type B / Urethane plate
	F307	A290-8101-X761	75x66x56	Lower	α-A. B series Urethane guide base
	F307A		75x66x56	Lower	α-iC series Urethane guide base
	F307B	A290-8110-X761	81x66x56	Lower	α-iA. iB. iC series Urethane guide base Ref : A290-8110-Y761
	F307C			Lower	α.-iA. iB. iC series Guide base

Fanuc

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F321	A290-8048-X602	64x42x23T	Upper	W0 series Urethane guide base
	F322		56x43x15T	Lower	W0 series Urethane guide base
	F400	A97L-0001-0670	12x7x4	Bearing	Bearing 1260Z for F401 & F402 Ref. SS1260ZZ
	F401	A290-8004-X713	Φ49xΦ6.5x6T	Lower	W series Wire sub roller (Stainless housing+Plastic roller)
	F401B	A290-8004-X713	Φ49xΦ6.5x6T	Lower	W series Wire sub roller (Brass housing+Plastic roller)
	F401B SET	A290-8004-V316	Φ49xΦ6.5x12	Lower	W series Wire sub roller (Brass housing+Plastic roller)
	F401-1	A290-0124-X002		Lower	W series Axle for F401.401C Ref. A970-0124-X002
	F401-2	A290-8004-X713	Φ49x6.5x6	Lower	W series Stainless housing+Plastic roller
	F401-3	A97L-0124-X003		Nut	W series Nut for wire sub roller F401
	F401SS	A290-8004-V316	Φ49x6.5x12	Lower	W series With axis +bearing Material : Stainless steel roller set
	F401C	A290-8004-X713	Φ49x6.5x12	Lower	W series Stainless housing+White ceramic roller
	F401CS	A290-8004-V316	Φ49x6.5x12	Lower	W series With axis+bearing Material : Ceramic roller set
	F402	A290-8006-X707	Φ64x6.5x12	Lower	W series Material : Stainless steel roller
	F402SS	A290-8006-X707	Φ64x6.5x12	Lower	W series Material : Stainless steel roller set

Fanuc

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F402BS	A290-8006-X707	Φ64x6.5x12	Lower	W series Material : Brass roller set
	F402C	A290-8006-X707	Φ64x6.5x12	Lower	W series Material : Ceramic roller
	F402CS	A290-8006-X707	Φ64x6.5x12	Lower	W series Material : Ceramic roller set
	F403	A290-8103-X762	40x40x20T	Lower	α-0A. 0B series Guide base from Stainless steel
	F403-1	A290-8103-X762	40x40x25T	Lower	α-0A. 0B series Guide base from Stainless steel
	F404A	A290-8110-X770	59.5x49x20	Lower	α-iA, iB, iC fseries AWF & Manual type Small guide block A for F307
	F404B	A290-8110-Y770	69x51x20	Lower	α-iA, iB, iC fseries AWF & Manual type Small guide block A for F307B
	F404C	A290-8119-X762	77x50.5x20	Lower	α-iA, iB, iC fseries AWF & Manual type Small guide block A for F424
	F404D	A290-8119-X762	77x50.5x20	Lower	α-iA, iB, iC fseries AWF & Manual type Ceramic small guide block A for F424
	F404-1	A290-8101-X765	Φ38xΦ22x12	Lower	α-A. B. C. iA. iB series Material : Stainless steel roller
	F404-1C	A290-8101-X765	Φ38xΦ22x12	Lower	α-A. B. C. iA. iB series Material : Ceramic roller
	F405	A290-8101-X394	13x20x19	Feed section	α-A. B. C series Material : Plastic
	F406	A290-8110-Z382	Φ40xΦ20x18	Pinch roller	α-A. B series AWF & Manual type Material : Ceramic
	F407	A290-8101-Z383	Φ40xΦ20x19	Feed roller	α-A. B series AWF & Manual type

Fanuc

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F408	A290-8102-X393	57x20x20	Feed guide	α-A. B. C series Manual type Polycarbonate feed wire guide
	F409	A290-8101-X371	Φ140x22	Upper	α-A. B. C series AWF & Manual type Brake shoe
	F409i	A290-8111-X371	Φ140x22	Upper	α-A. iB series Brake shoe
	F409w	A290-8011-V352		Upper	O. P. Q. R. W series Brake shoe
	F409wo	A290-8039-V352	Φ100x22	Upper	W-0 series AWT type Brake shoe
	F410	A290-8110-X382	Φ40xΦ28x30	Roller	α-C series AWF & Manual type / Pinch roller
	F411	A290-8110-X383	Φ40xΦ12x30	Roller	α-C series AWF & Manual type / Feed roller
	F412	A290-8110-X762	46x40x24.5	Base	α-C. iA. iB series AWF & Manual type / Guide base
	F413	A290-8112-X382	Φ80x22	Roller	α-iA. iB series AWF & Manual type / Pinch roller
	F413-1	A290-8112-X382	Φ80x22	Roller	α-0iA. 0iB. 1iA. 1iB series AWF & Manual type / Pinch roller
	F413-2	A290-8119-X378	99x37x15	Shaft	α-0iA. 0iB. 1iA. 1iB series AWF & Manual type / Pinch roller
	F414	A290-8112-X383	Φ80x22	Roller	α-iA. iB series AWF & Manual type / Feed roller
	F490	A290-8102-X622	17x6x33L	Guide end	
	F490-1		6x3x23	Guide end	
	F490set		17x6x33L	Guide end	F490+F490-1

Fanuc

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F491		3x0.8x30	Ceramic - tube	
	F500	A97L-0001-0670	Φ12xΦ6x4	Bearing	Bearing 1260Z for F401 & F402 Replaced by A97L-0001-0986 Ref : SS1260ZZ with steel seal
	F501A	A97L-0001-0670	Φ25/22xΦ8x7	Bearing	α-A. B. C. iA. iB series AWF/Manual type, For F401-1 Ref : Without rubber seal DRF2208H
	F501B	A97L-0201-0369	Φ25/22xΦ8x7	Bearing	α-A. B. C. iA. iB series AWF/Manual type / For F401-1 Ref : M422=608RS=FL608LLB
	F502	A97L-0201-0369	Φ28xΦ12x8	Bearing	α-A. B. C series For 406. 410. 417 With rubber seal / SS6001LLU
	F503A	A97L-0201-0369	Φ35xΦ17x10	Bearing	α-A. B series With rubber seal / SS6003LLU
	F503B	A97L-0201-0369	Φ35xΦ17x10	Bearing	α-A. B series - with steel seal Ref. : F505 / SS6003ZZ Ref : A97L-0201-0910 / A97L-0201-6003
	F504	A97L-0201-0369	Φ40xΦ17x12	Bearing	α-A. B series With rubber seal / SS6203LLU Replaced to A97L-8101-X765
	F505	A97L-0201-0910	Φ35xΦ17x10	Bearing	W0 series - with steel seal Ref. F503B / SS6003ZZ Ref : A97L-0201-0910 / A97L-0201-6003
	F506	A97L-0201-0911	Φ47xΦ35x7	Bearing	W0 series With steel seal Ref : SS6807ZZ
	F507	A290-8037-X331	Φ80xΦ28/20x18	Roller	O. P. Q. R. W series Material : Stainless steel / Feed roller Ref : Fe415
	F508C	A290-8037-X331	Φ80xΦ28/20x18	Roller	O. P. Q. R. W series Material : Ceramic feed roller Ref : Fe415C
	F509	A290-8037-X330	Φ80xΦ11x18	Roller	O. P. Q. R. W series Material : Stainless feed roller Ref : Fe416
	F510C	A290-8037-X330	Φ80xΦ11x18	Roller	O. P. Q. R. W series Material : Ceramic feed roller Ref : Fe416C

Fanuc

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F511	A290-8037-X805	Φ60xΦ28x18	Roller	W-0 series AWT type / Pinch roller Ref : Fe417
	F512	A290-8037-X806	Φ60xΦ11x24	Roller	W-0 series AWT type / Feed roller Ref : Fe418
	F513	A290-8011-X470	Φ23xΦ12x12	Upper	W-3 series Semi-AWT type / Ceramic roller Ref : Fe419
	F514		Φ70	Right	Roller assembly Ref : Fe420
	F515		Φ39xΦ17x12		W0 series AWT type Ref : Fe421
	F516		Φ40xΦ14x12		W0 series AWT type Ref : Fe422
	F517	A290-8021-Y701	Φ12xΦ6x8	Upper	α-A. B. C. iA. iB series V-Ditch sapphire guide Ref : F140
	F518	A290-8021-Y712	Φ10x19.5	Shaft	W series Guide holder shaft
	F519	A290-8110-X751		Upper	α-C, iA. iB, iC series Upper screw
	F520	A290-8112-X752	Φ38xΦ14x12	Upper	α-A. C series Upper screw
	F521	A290-8102-X657	Φ2.5x6x6x10	Cutter	α-A. C series Cutting electrode
	F522	A98L-0001-0972	Φ115x85x14	Packing	α-iA. iB series Size : 4" V packing
	F523	A98L-0001-0973	Φ140x108x14	Packing	α-iA, iB series Size : 6" V packing
	F524	A290-8102-X656	10x7.5x24.5	Chuck	α-iA series
	F524A	A290-8112-X656	10x6,2x13.5	Chuck	α-iA series

Fanuc

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	F524B	A290-8119-X691	24x10x7	Chuck	α-iA series For F507
	F525	A290-8102-X684	38x20x13	Cutter spring	α-iA series
	F526	A290-8102-X684	38x20x9	Cutter spring	α-A. iC series
	F527	A290-8102-X721	70x55x28	Upper	α-A. B series Dies block using with F006
	F528	A290-8102-Y722		Upper	α-C. iC series Dies block
	F529	A290-8102-X763		Spacer	α-C. iC series Dies block
	F530	A290-8102-X722		Upper	α-A. B series Die guide base
	F531				α-A. B series Bobbin scrap
	F532	A290-8110-X721	70x55x28		α-C series Upper Block using with F005
	F533				α-A. C series Chuck rubber
	F534	A290-8032-V742		Right	W-0 series One way roller with bearing
	F535	A290-8032-V746		Left	W-0 series One way roller with bearing
	F545		83x11x43		α-iD series Helical gear
	F546		28x11x46		α-iD series Helical gear
	F547				Insulating seat for F412
	F548				MAZJ2-60 Linear guide air chuck

