

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S101A	J13095A J13096A J13098A J13099A J13101A J13102A J13104A J13105A J13107A J13108A	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310		A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Black diamond
	S101b	3084643 3082983 3084668 3081437 3084727 3081436 3085385 3083330 3087703 3083331 3084443	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310 Φ0.320	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Diamond
	S101s	3082283 3080046 3083863 3080053 3081482 3080047 3081771 3080629 3086400 3081934 3080063	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310 Φ0.320	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Sapphire
	S101BD	0206800 0206801 0206803 0206804 0206806 0206807 0206809 0206810 0206812 0206813	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Black diamond
	S102	3080237 3080240 3080244 3080248 3080250	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Common	AP. AW. BF. EPOC series Guide unit 83.84.85.KM Manual type

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S103	3080998 3080999 3081000 3080982 3080990 3081017 3080991	Φ0.11 Φ0.16 Φ0.21 Φ0.22 Φ0.26 Φ0.27 Φ0.31	Lower	A. AF. AP. AQ. BF. EPOC. EXC. JL. PGW... Common for standard / Manual type Lower for guide unit 87-3 / AWT type
	S103T	3080982 3081017 3081018	Φ0.22 Φ0.27 Φ0.32	Lower	A. AF. AP. AQ. BF. EPOC. EXC. JL. series Lower for guide unit 87-3 / AWT type For Tapper type
	S103L	3081717 3081490 3081136 3081138 3081139	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Common	A280. A320L. A--- series Upper for guide unit 87-3L AWT tapper type
	S104	3080210 3080213 3080219 3080223 3080225	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Common	AQ. A. EPOC. AP. BF. JL. PGW. EXC series Guide unit 83.84.85.86.90 type AWT type
	S104-1	3080229 3085043	Φ0.40 Φ0.60	Upper Lower	AQ. A. EPOC. AP. BF. JL. PGW. EXC series Guide unit 83.84.85.86.90 type AWT type
	S105	J06545A J06547A J06549A J06551A J06553A J06555A	Φ0.12 Φ0.17 Φ0.22 Φ0.27 Φ0.32 Φ0.35	Common	AL, ALN series AWT FJ type
	S106	3080065 0205586	Φ0.80	Lower	Sub guide C Guide unit 86-1 type AWT type
	S107	3080069 0200197	Φ0.32	Upper	Sub guide D Guide unit 86-1.87-1.90-1.90-3 AWT type
	S108	3082269 0204677	Φ2.00	Upper	Sub guide C1 Guide unit 86-1.87-1.90-1.90-3 AWT type

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S109	118762A 118745A 118758A 118725A 118759A 118726A 118760A 118727A	Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.310	Upper	AP, AQ series Dice AQ-1U (S) Super jet AWT option 0 type Single diamond
	S110	3110253 3110259 3110545 3110058 3110546 3110291 3110547 3110067	Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.310	Upper	AP, AQ series Dice AQ-1U (W) FJ AWT type Single diamond
	S112	3089086 3088898 3089092 3088913 3089095 3089094	Φ0.210 Φ0.220 Φ0.260 Φ0.270 Φ0.310 Φ0.320	R dice guide	Taper flex R dice, Super jet AWT option 45 angle
	S113	3088980 0205639		Pin guide	AP200L, AP450L, AP500L, AP250L Diamond pin guide 90-1
	S114	3110135	5x10x0.8	Guide C10	AP650L, AP250L Series Old no : 0205799
	S115	J17101A J17104A J17107A J17110A J17114A	0.105 0.155 0.205 0.255 0.305	Upper Dice AQ-1U	AL, ALN Series Dice AQ-1U (T) FJ AWT type Double diamond with ceramic cap
	S116	J17100A	0.6	Lower Guide G	AL, ALN Series