

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S101A	J13095A J13096A J13098A J13099A J13101A J13102A J13104A J13105A J13107A J13108A	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310		A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Black diamond
	S101b	3084643 3082983 3084668 3081437 3084727 3081436 3085385 3083330 3087703 3083331 3084443	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310 Φ0.320	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Diamond
	S101s	3082283 3080046 3083863 3080053 3081482 3080047 3081771 3080629 3086400 3081934 3080063	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310 Φ0.320	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Sapphire
	S101BD	0206800 0206801 0206803 0206804 0206806 0206807 0206809 0206810 0206812 0206813	Φ0.105 Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.305 Φ0.310	Common	A. AP. AQ. BF. EPOC. EXC. JL PGW2000 series 86-1. 90-1 guide unit with 85/97 AWT type Material : Black diamond
	S102	3080237 3080240 3080244 3080248 3080250	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Common	AP. AW. BF. EPOC series Guide unit 83.84.85.KM Manual type

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S103	3080998 3080999 3081000 3080982 3080990 3081017 3080991	Φ0.11 Φ0.16 Φ0.21 Φ0.22 Φ0.26 Φ0.27 Φ0.31	Lower	A. AF. AP. AQ. BF. EPOC. EXC. JL. PGW... Common for standard / Manual type Lower for guide unit 87-3 / AWT type
	S103T	3080982 3081017 3081018	Φ0.22 Φ0.27 Φ0.32	Lower	A. AF. AP. AQ. BF. EPOC. EXC. JL. series Lower for guide unit 87-3 / AWT type For Tapper type
	S103L	3081717 3081490 3081136 3081138 3081139	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Common	A280. A320L. A--- series Upper for guide unit 87-3L AWT tapper type
	S104	3080210 3080213 3080219 3080223 3080225	Φ0.11 Φ0.16 Φ0.21 Φ0.26 Φ0.31	Common	AQ. A. EPOC. AP. BF. JL. PGW. EXC series Guide unit 83.84.85.86.90 type AWT type
	S104-1	3080229 3085043	Φ0.40 Φ0.60	Upper Lower	AQ. A. EPOC. AP. BF. JL. PGW. EXC series Guide unit 83.84.85.86.90 type AWT type
	S105	J06545A J06547A J06549A J06551A J06553A J06555A	Φ0.12 Φ0.17 Φ0.22 Φ0.27 Φ0.32 Φ0.35	Common	AL, ALN series AWT FJ type
	S106	3080065 0205586	Φ0.80	Lower	Sub guide C Guide unit 86-1 type AWT type
	S107	3080069 0200197	Φ0.32	Upper	Sub guide D Guide unit 86-1.87-1.90-1.90-3 AWT type
	S108	3082269 0204677	Φ2.00	Upper	Sub guide C1 Guide unit 86-1.87-1.90-1.90-3 AWT type

Sodick

Wire Guide

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S109	118762A 118745A 118758A 118725A 118759A 118726A 118760A 118727A	Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.310	Upper	AP, AQ series Dice AQ-1U (S) Super jet AWT option 0 type Single diamond
	S110	3110253 3110259 3110545 3110058 3110546 3110291 3110547 3110067	Φ0.110 Φ0.155 Φ0.160 Φ0.205 Φ0.210 Φ0.255 Φ0.260 Φ0.310	Upper	AP, AQ series Dice AQ-1U (W) FJ AWT type Single diamond
	S112	3089086 3088898 3089092 3088913 3089095 3089094	Φ0.210 Φ0.220 Φ0.260 Φ0.270 Φ0.310 Φ0.320	R dice guide	Taper flex R dice, Super jet AWT option 45 angle
	S113	3088980 0205639		Pin guide	AP200L, AP450L, AP500L, AP250L Diamond pin guide 90-1
	S114	3110135	5x10x0.8	Guide C10	AP650L, AP250L Series Old no : 0205799
	S115	J17101A J17104A J17107A J17110A J17114A	0.105 0.155 0.205 0.255 0.305	Upper Dice AQ-1U	AL, ALN Series Dice AQ-1U (T) FJ AWT type Double diamond with ceramic cap
	S116	J17100A	0.6	Lower Guide G	AL, ALN Series

Sodick

Power Feed Contact

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S001	3080316	Φ18X10	Upper	AP150. AW. BF. EPOC~W series Guide unit 83 / AWT type
	S002	3080314	Φ18X14	Lower	AP150. AW. BF. EPOC~W series Guide unit 83.84 / AWT type
	S003s	3080318	16XΦ5.5x11.7	Upper	EPOC~W. G. GW. GOW series Guide unit 84 / AWT type Material : Silver tungsten
	S003c	3080318	16XΦ5.5x11.7	Upper	EPOC~W. G. GW. GOW series Guide unit 84 / AWT type Material : Silver coated copper tungsten
	S004s	3080324	14X11X12	Upper	AW. AP150. BF. EPOC series Guide unit 85-3 / AWT type Material : Silver tungsten
	S004c	3080324	14X11X12	Upper	AW. AP150. BF. EPOC series Guide unit 85-3 / AWT type Material : Silver coated copper tungsten
	S005LS	3080307	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver tungsten
	S005LC	3080307	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver coated copper tungsten
	S005RS	3080308	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver tungsten
	S005RC	3080308	12.5X14X11.7	Upper	AW. AP150. BF. EPOC series Guide unit 85-2.3 / Manual type Material : Silver coated copper tungsten
	S006s	3080311	12.5X19X11.6	Lower	AW. BF. EPOC~W. GO. GW series Guide unit 85-2.3 type Material : Silver tungsten
	S008s	3080320	Φ12X20.6	Common	AP150 series Guide unit KM-3 type Material : Silver tungsten
	S008c	3080303	Φ12X20.6	Common	AP150 series Guide unit KM-3 type Material : Silver coated copper tungsten

Sodick

Power Feed Contact

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S009S	3082579 0204388	Φ10X8X30	Common	A. AP. AQ. AW. EPOC series Guide unit 86-2 type Material : Silver tungsten
	S009C	3082580	Φ10X8X30	Common	A. AP. AQ. AW. EPOC series Guide unit 86-2 type Material : Silver coated copper tungsten
	S010	3085936 0204934	5x40x20	Common	A. AP. AQ. AW. EPOC series Guide unit 87-3 type Non-coated - Steel color
	S010G	3085936	5x40x20	Common	A. AP. AQ. AW. EPOC series Guide unit 87-3 type TiN coated - Gold color
	S010L	3085936	5x40x20	Common	A. AP. AQ. AW. EPOC series Guide unit 87-3 type TiAlN coated - Grey color
	S011	3085263	4.9x10x40	Lower	EXE, AP series (Fine wire type)
	S0112	3110330	4.9x10x40	Lower	AP200L, EXC100L, VZ500L series FJ AWT Old no :0291051
	S013	3110031 0205810	18x8.5x9	Lower	AQ400L, AQ600L, AG360L series FJ AWT short block type Ref : 0205880
	S014	3110034 0205811	12x12x5	Lower	AG400L, AG600L series AG, AQ, AP, AD, HBW. FJ AWT Square type
	S015	0205812	18zx7.5x9	Middle	AQ400L, AQ600L, AG360L series FJ AWT long block type
	S016	0205880	Φ10xΦ6x28	Lower	AG400L, AG600L, AG, AQ, AP, AD, HBW Super jet AWT
	S017	0205881	20x20x4	Lower	AG400L, AG600L series - FJ AWT type AG, AQ, AP, AD, HBW. Super jet AWT
	S018	0205882	Φ8xΦ3.2x16	Middle	AG, AQ, AP, AD, HBW series Super jet AWT Intermediate electrode

Sodick

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S201	3081594	Φ5	Common	AW330.453.654W. BF250.275. EPOC-W Guide unit 84 type
	S202	3082085		Common	AW330.454. BF275. EPOC300 series Guide unit 85-2 / Manual type
	S202A	3080030		Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S202B	3080593		Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S202c	3080358	Φ5	Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S202s	3080639		Common	AW330.454. BF250/275. EPOC300 series Guide unit 85-2 3WS / Manual type
	S203	3082056	Φ6	Common	AP150. PGW150 series Guide unit KM-3 type
	S204	3082055	Φ5	Common	AP. AW150 series Guide unit KM-1 type
	S205		Φ10	Common	AP. AW150 series Guide unit KM-2 type
	S206		Φ5	Common	AP150. AW150, EPOC series Guide unit KM-1 type
	S207	3082997 3082998 3081604 3081605 3081606 3081868	Φ3 - G3 Φ4 - G4 Φ6 - C Φ8 - H1 Φ10 - H2 Φ12 - T1	Upper	AQ. A. AP. EPOC. PGW. BF. JL. EXC series Guide unit 85, 86-2 / Manual type Guide unit 90-1, 97 / AWT type Ref : old no. 0200751, 0200752. --- VZ500L series- SJ AWT type
	S207-1		Φ3 Φ4 Φ6 Φ8 Φ10	Upper	AQ. A. AP. EPOC. PGW. BF. JL. EXC series Guide unit 85, 86-2 / Manual type Guide unit 90-1, 97 / AWT type
	S207L	3081682 3081684 3081689	Φ6.0x6.5 -LN1 Φ6.0x11.5-LN2 Φ6.0x16.5-LN3	Upper	AQ. A. EPOC. AP. PGW. BF. JL. EXC series Guide unit 85. 86-2. 90-1. 97 / AWTtype
	S207L-1	3081682 3081684 3081689	Φ6.0x6.5 -LN1 Φ6.0x11.5-LN2 Φ6.0x16.5-LN3	Upper	AQ. A. EPOC. AP. PGW. BF. JL. EXC series Guide unit 85. 86-2. 90-1. 97 / AWTtype










Sodick

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S208	3081674	Φ3, 4, 6	Common	A350.500. AW330. 454 series Old no : 0200755
	S209	3082156 3082128 3082207 3081674 3081675 3081676 3081867	Φ2 -E2 Φ3 -E3 Φ4 -E4 Φ6 -A Φ8 -B Φ10 -H1 Φ12 -T1	Common	A. EPOC. AP. PGW. BF. JL. EXC series Guide unit 87-3 type Lower for AWT and Manual type (With O ring)
	S209-1	3086396 3086746 3086742	Φ6 Φ10 Φ12	Lower	AP200. 450L series Guide unit 90-3 / AWT type Without O ring
	S209-2	3085336 3085337	Φ6 Φ10	Lower	AQ. A. AP300. 550 series Guide unit 90-5 / AWT type Without O ring
	S209W	3086386 --- 3086443 3086486	Φ6 Φ8 Φ10 Φ12	Lower	AQ. A. AP300. 550 series Guide unit 87-3 / AWT type Ref : 0204998, Without O-ring
	S209L	3085338 3085339 3085340 3085341 3085342 3085343	Φ6+4,, LA Φ4+10, LA10 Φ4+15, LA15 Φ6+20, LA20 Φ10+25, LA25 Φ12+50, LA50	Common	A. AP. AQ. BF. EXC. EPOC. JL. PGW Lower for guide unit 85.97 / AWT type Common nozzle A for Manual type OD=20mm Ref. 3081677(Φ6), 3081678(Φ10)
	S210	3082603	Φ3	Lower	A280L. ---L series Lehmann type / AWT type Nozzle F with ID3
	S210-1	3082603	Φ3	Lower	A280L.---L series Lehmann type / AWT type
	S210-2	3088448		Lower	A280L.---L series AWT type Nozzle F
	S251	3110303	Φ28xΦ6x11.8H	Lower	AD, AG, AQ. VZ500L series Float nozzle, Super jet AWT Old no : 0205448
	S251-1	3110304		Lower	AD, AG, AQ, VZ500L series Spring for S251, 252 of float nozzle Super jet AWT
	S252	3110461	Φ28xΦ10x11.8	Lower	AD, AG, AQ series Float nozzle FJ AWT type












Sodick

Flushing Nozzle

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S253	3110463	Φ28xΦ6x15.8H	Lower	AD, AG, AQ series Float nozzle LS FJ type 4mm long type
	S254	3110469	Φ28xΦ10x15.8	Lower	AD, AG, AQ series Float nozzle LF FJ type 4mm long type
	S255	118720B	Φ15x1.2x7.2H Φ15x2.0x7.2H	Nozzle D Nozzle NSJ	FJ, Super jet AWT Nozzlw for option "0" Ref : old no. 0205843
	S256	3083621 0206095	Φ12x5H	Nozzle AD12	Nozzle AD12 Super jet AWT / Option 45° taper
	S256A	2995402	Φ15x1.2x6.6	Nozzle NSJ	Super jet AWT FJ AWT Nozzle for option "0"
	S256B	2995402	Φ15x2.0x6.6	Nozzle NSJ	Super jet AWT FJ AWT Nozzle for option "0"
	S257	3088883 0206072	Φ11x10.3H	Lower	Float Nozzle T2 Super jet AWT Option 45° taper
	S258	2070129 0200702	Φ26	Common	O-ring for S209, 209-2, 210
	S270	3110361		Upper Dice cap	Move guide C type

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S301	3080178	66x50x16	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 90-1 / AWT type
	S302	3080652	77x50x20	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 87. 90-1 / AWT type Using with S5013 / Center Φ13.5
	S303A		57.5x50x20	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 97 / AWT type
	S303B		57.5x50x20	Upper	A. AQ. EPOC. AP. PGW. BF. JL. EXC series Guide unit 97 / AWT type
	S304		77x50x24	Upper	EPOC. AP. PGW. BF. JL. EXC series Guide unit 90-1 / AWT type
	S305	2087486	5x45	Bar guide	EPOC. AP. PGW. BF. JL. EXC series Guide unit 90-1 / AWT type
	S400	3050098	Φ25	Pulley E	AP. AW. BF. EPOC series Stainless float type without groove
	S400c2	3050131 3050161	Φ25	Pulley E	AP. AW. BF. EPOC series Ceramic with 2mm groove
	S400c2s	3050131 3050161	Φ25	Pulley E	AP. AW. BF. EPOC series Ceramic with 2mm groove
	S400c6	3050105	Φ25	Pulley E	AP. AW. BF. EPOC series Ceramic with 6mm groove
	S400c6s	3050105	Φ25	Pulley E	AP. AW. BF. EPOC series Ceramic with 6mm groove
	S400cf	3052384	Φ25	Pulley E	AP. AW. BF. EPOC series Ceramic flat type without groove
	S400cfs	3050047	Φ25	Pulley E	AP. AW. BF. EPOC series Ceramic flat type without groove
	S400-1	3050098	Φ25	Pulley E	AP. AW. BF. EPOC series Stainless float type without groove Roller for S400set
	S400-2			Shaft	AP. AW. BF. EPOC series For pulley AS-5543
	S400-3			Rubber seal	AP. AW. BF. EPOC series For pulley AS-5543

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S400-4			Cover	AP. AW. BF. EPOC series For pulley AS-5543
	S400-5	SS626LLB	16x18	Bearing	AP. AW. BF. EPOC series Bearing SS626LLB for pulley AS-5543
	S405			Upper	AP200 series Belt wire roller
	S405S			Upper	AP200 series Belt wire roller
	S406	3086387	38x38	Lower	AQ. 325L. 530L series AWT type / Nozzle base for S209W
	S406-1	3086221 0205140		Lower	AQ. 325L. 530L series AWT type / Nozzle base ring for S209W
	S407	3081032 3082669	Φ22	Common	A. EPOC. AP200~550. BF. JL series AWT type / Nozzle guide for S209
	S407-1	3082668		Upper	A. EPOC. AP200~550. BF. JL series Manual type / Nozzle guide for S209
	S408	3082804 3082526	50x50	Upper	A. EPOC. AP200~550. BF. JL series Manual type / Nozzle guide for S207
	S408L			Upper	A50. A350 series AWT type / Nozzle base
	S409	3082629 3081983	Φ22	Common	A320. A350 series Manual type / Nozzle base A
	S409-1	3082629 3081982	Φ18	Lower	A320. A350 series Nozzle guide C for L series
	S410		Φ100xΦ10x20	Upper	A350. 500. AP150. 330 Series Urethan roller with 1 hole & Keyhome
	S411	3051337	Φ100xΦ12x20	Upper	A350. 500. AP150. 330 Series Urethan roller with 1 Keyhome+2 small hole
	S412		Φ100xΦ10x22	Upper	A350.500. AP150.330. BF Series Urethan roller with 4 hole on lower side

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S412-1			Upper	A350.500. AP150.330. BF Series Urethan roller with 6 hole on lower side
	S413		Φ100xΦ6x20	Upper	BF275 old type Series
	S414A		Φ70xΦ12	Roller	A500W. A320D. A530D series Stainless feed roller B with key home
	S414AC	3052147	Φ70xΦ12	Roller B	A500W. A320D. A530D series Ceramic feed roller B with key home
	S414C	3052991 3052771	Φ70xΦ15	Roller B	A500W. A320D. A530D series Ceramic feed roller B with key home Ref : 3052771
	S415A	3052772	Φ70xΦ22	Roller	A500W. A320D. A530D series Stainless feed roller C without key home
	S415AC	3052772	Φ70xΦ22	Roller	A500W. A320D. A530D series Ceramic feed roller C without key home
	S415C	3052992	Φ70xΦ24	Roller	A500W. A320D. A530D series Ceramic feed roller C without key home
	S415-1		Φ32xΦ12x35	Shaft	
	S415A-1		Φ32xΦ8x36.5	Shaft	
	S415-2			Block	A. AQ530 series Wire guide block
	S416	3053703	Φ100xΦ12x20	Upper	A530D. AQ325. 325L series Urethan tension roller M5x2 on pillar
	S416-1	3053704	Φ100xΦ7x20	Upper	A530D. AQ325. 325L A50W1 series Urethan tension roller M5x2 on pillar
	S417	3054678	Φ100xΦ19x20	Upper	AP. AQ325L. AQ535 series Urethan tension roller / M5x2 on pillar Ref : 3053703
	S417-1		Φ100xΦ8x20		AP. AQ325L. AQ535 series Urethan tension roller M5x2 on pillar

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S418	3051534	Φ100xΦ12x20	Upper	A320. 530 series Urethan tension roller M5x2 on pillar
	S420	3052771			A. AP. AQ530. EPOC. BFS series Dies driver
	S421	3052979	Φ40x19x12	Urethane roller	AQ series
	S421A		Φ40x19x20	Urethane roller	A series for 698RS
	S422		22x35	Dies driver	A. AP. AQ. EPOC. BF series
	S424		50x50x14	Upper Nozzle guide	AG series
	S445		150x45x2T	Cover	A. AP. AQ530. EPOC. BFS series Water cover
	S445-1		77.5x41.5x2T	Cover	A. AP. AQ530. EPOC. BFS series Water cover
	S500	3084628 3080035		Upper	W400135D AWT cutter Tungsten carbide
	S500-1		Φ10.5		W400135D Cutter spring for AWT
	S5001	3082518	77x50x24	Upper	A530D... Series AWT90-1 type Ceramic plate for compact cylinder Re : Same as S302
	S5003	3080653		Shaft	Guide shaft for AWT type
	S5004	3083108		Shaft	Slide shaft for AWT type
	S5005	3082521		Block	Slide block without shaft for AWT type
	S5008	3080978		Lower	BF275. EPOC500.600.800 series Insulation block





Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S5012	3082519		Upper	Dies block for AWT type
	S5012-1	3082832	Φ35x3	Upper	Dies cover for AWT type
	S5012 SET	3082519		Upper	Dies block for AWT type
	S5013	3081247		Upper	BF275. A. EPOC series Dies block F for AWT Ref. S5013-1
	S5013-1			Upper	BF275. A. EPOC series Dies block F for AWT
	S5013-2	3080952	Φ6xΦ12x75.5	Upper	BF275. A. EPOC series Bolt of dies block F for AWT
	S5013A			Upper	A. Epoc, BF275 series Dies block for S407-1, S5022
	S5013A set			Upper	A. Epoc, BF275 series Dies block for S407-1, S5022
	S5014	3081979		Upper	A300. A320D. A530Dseries Dies block
	S5014 Set	3082120		Upper	A300. A320D. A530Dseries Dies block
	S5017	3082520		Upper	A series Flange for AWT type
	S5018	3082119		Upper	A series Flange for Manual type
	S5021	3053114		Lower	A280. 300. 320. 530 series Flange for Manual type
	S5022	3083114		Lower	A280. 300. 320. 530 series Flange for AWT type

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S5023	3081035	10x5.5x18	Lower	A. EPOC series Electric pin
	S5025	3051072		Lower	A280. 300 .320. 530 series Jet nozzle set
	S5026	3050651	66x52.5x32.5	Common	A320D with AWT. A530D Aspirator block Usage together with S5028,5029,5030
	S5027	3051509		Common	A280. 300 series A320D without AWT Aspirator block
	S5028	3051507	Φ1xΦ16x25	Nozzle A	A. EPOC series Aspirator nozzle A
	S5029	3053081	Φ2xΦ12x26.5	Nozzle B	A. EPOC series Aspirator nozzle B
	S5030	3053082	Φ2xΦ16/12x40	Nozzle C	A. EPOC series Aspirator nozzle C
	S5031	3051202	Φ68	Lower	A series Set of ceramic pulley B Ref : MW402811N
	S5032	3051799	Φ68x22x12	Lower	A series Ceramic pulley B
	S5034	3051262	72x58/30x25	Lower	A500. A500H series Block for ceramic pulley B
	S5034A		72x58/30x25	Lower	Doosan-ACE series Block for ceramic pulley B
	S5035	3051255	55x28/10x25T	Lower	A500. A500H series Pipe holder for pulley B
	S5035A		20x113	Lower	Doosan-ACE series
	S5036		24x20x46	Nozzle	Ceramic nozzle

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S5037		67x57x30x71		A500. A500H series Ceramic block
	S5038		91x65x40		AQ550L Aspirator block
	S5040	3050812	Φ39x19x24H	Pulley E	BF275 series Ceramic pulley E set Ref. AS5614
	S5041-5	3051355	Φ40x19x24	Pulley	BF275. EPOC series Ceramic pulley E set with groove 5mm
	S5041-2	3052167	Φ40x19x24	Pulley	AP, BF275. EPOC series Ceramic pulley E set with groove 2mm
	S5045	3055864	Φ40x24	Pulley	BF275 series Feed roller without groove
	S5046	3083051	Φ40x19x24H	Pulley	AP200 series Feed roller without groove
	S5048	3052149	Φ50x24H	Roller	BF275 series Feed roller B
	S5048-1		Φ15x173L	Shaft	BF275 series Shaft for feed roller B
	S5048-2		Φ15x163L	Shaft	BF275 series Shaft for feed roller B
	S5050	3050193	Φ50x40H	Roller	EPOC600. 800 series Feed roller C
	S5050-1	3050345	Φ20x158L		BF275 series Shaft for feed roller D
	S5050-2	3050351	Φ18x184L		BF275 series Shaft for feed roller C
	S5050-3	3050347	Φ18x180L		BF275 series Shaft for feed roller B

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S5050-4	3050349	Φ18x144L		BF275 series Shaft for feed roller A
	S5053A		Φ50xΦ32x24		A320. A530 series Roller C without bearing
	S5053-1			Dies block	A300. 320. A530 series Block wire guide
	S5063		Φ16/10x27		A320 series Pin connector
	S5064	3051557	Φ16/10x50		A530D series Pin connector
	S5066	3001001	440x30		A500 series Bellows Z
	S5073	3080625	150x30		EPOC600 series Bellows B
	S5075	3030105	120x40		EPOC800 series Bellows Y
	S5077	3021390	150x25		EPOC1100 series Bellows Z
	S5079	3081463	122x25		BF275 series Bellows Y
	S5082				A350. A500. A530D. EPOC series Casting unit
	S5083				A320. BF275 series Casting unit
	S5090	3050314			BF275 EPOC series Bobbin shaft
	S5091	3050646			A350. A500 series Roller plate gear type
	S5091-1	3051345			A350. A500 series Clamp shaft for S5091/5092
















Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S5092				A350. A500 series Roller plate belt type
	S5093		Φ16xΦ10x50		A320. 530 series Roller plate belt type
	S5094				
	S5109	2040849	32x10x17	Bevel gear	A320. A500 series
	S5110	3052148	18x122	Shaft B	A300. 320. A500 series Roller shaft belt type
	S5112	3052148	20x113	Shaft	A300. 320. A500 series Roller shaft gear type
	S5120			Nozzle guide	AQ327. AQ537 Size : 53x45x18x10.5T
	S5121	3091131	52x20	Cutter	
	S5122	3110112		Nozzle base	AG, AQ600L
	S5123	3110316		Nozzle base	AG, AQ600L
	S600	3080375	Φ2.0-Φ1.0	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0200429
	S600-1	3080374	Φ2.0-Φ0.7	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0200428
	S600-2	3083256	Φ2.0-Φ0.5	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0204185
	S601	3083123	Φ2.0-Φ0.3	Pipe-283L	A. EPOC series Guide unit 85 / AWT type Ref : old no. 0204246
	S602	3082452	Φ2.0-Φ1.0	Pipe-195L	A300/320. BF275 series AWT type Ref : old no. 0204013

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S603	3085966	Φ2.0-Φ1.0	Pipe-275L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205149
	S603-1	3085967	Φ2.0-Φ0.7	Pipe-275L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205150
	S603-2	3086929	Φ2.0-Φ0.5	Pipe-275L	AQ series Slide belt for AWT type Ref : 0205188
	S604	436849C	Φ2.0-Φ1.0	Pipe-285L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205851
	S604-1	436850C	Φ2.0-Φ0.7	Pipe-285L	AQ600/550L series Guide unit 97 / AWT type Ref : 0205852
	S604-2	436851C	Φ2.0-Φ0.5	Pipe-285L	AQ600/550L series Guide unit 97 / AWT type
	S604-3	436937C	Φ2.0-Φ1.4	Pipe-285L	AQ series SJ AWT pipe Ref : 0205850
	S605	436296A	Φ2.0-Φ1.4	Pipe-235L	AD series SJ AWT pipe Ref : 0206119
	S605-1	436309B	Φ2.0-Φ0.7	Pipe-235L	AD series SJ AWT pipe Ref : old no. 0206118
	S606	0206090	Φ2.0-Φ1.4	Pipe-255L	AG, AQ360, 560LX series SJ AWT pipe Ref : old no. 0206090
	S606-1	0206091	Φ2.0-Φ1.0	Pipe-255L	AG, AQ360, 560LX series SJ AWT pipe
	S606-2	0206092	Φ2.0-Φ0.7	Pipe-255L	AG, AQ360, 560LX series SJ AWT pipe
	S607	3110014	Φ3.0-Φ2.0	Pipe-250L	AD360. AG360. AQ400/600L series FJ AWT type Ref : old no. 0206138
	S608	0206164	Φ3.0-Φ2.0	Pipe-280L	AD360. AG360. AQ400/600L series FJ AWT type
	S609	3110879	Φ3.5-Φ3.1	Pipe-307L	AG360. AQ360/400/560/600L series FJ AWT type













Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S697		Φ19x8x6	Bearing	S698Z
	S698		Φ19x10x7	Bearing	S6380ZZ
	S699		Φ16x8x5	Bearing	S688ZZ
	S700	3080711	L=335mm	Slide Belt	A350 series Slide belt for AWT type
	S701	3082451	L=195mm	Belt	A325/300. BF275 series Slide belt for AWT
	S702	3081706	L=385mm	Belt	A500. 750 series Slide belt for AWT
	S703	3080696	Φ6.35x17.8H	Spring	A. AQ. BF series Spring for AWT slide belt
	S704	0204581		Wave washer	FJ, 85, 90 AWT type Ref : 0204581
	S705U	116501A	L=650 W=50pin	Cable	AQ325 series 1Set = 2Pcs
	S705L	3087260	L=650 W=50pin	Cable	AQ325 series 1Set = 2Pcs
	S706U	216427B	L=700 W=50pin	Upper-L	AQ327 series
	S706U-1	216428B	L=700 W=50pin	Upper-R	AQ327 series
	S706L	3087260	L=650 W=50pin	Lower	AQ327 series
	S707U	3088180	L=1200 W=64pin	Upper	AQ360 series
	S707L	3088160	L=400 W=50pin	Lower-1	AQ360 series

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S707L-1	3088159	L=200 W=50pin	Lower-2	AQ360 series
	S708U	3110163	L=1200 W=64pin	Upper	AQ400 series
	S708L	3110162	L=550x2 W=50pin	Lower	AQ400 series
	S709U	3087630	L=900 W=50pin	Upper	AQ535 series
	S709L	3087630	L=900 W=50pin	Lower	AQ535 series
	S710U	116687A	L=950 W=50pin	Upper	AQ537 series
	S710L	3087630	L=900 W=50pin	Lower	AQ537 series
	S711U	3087079	L=1200 W=64pin	Upper	AQ550 series
	S711L	3087038	L=600x2 W=50pin	Lower	AQ550 series
	S712U	3088160 3088802	L=1200 W=64pin	Upper	AQ560 series
	S712L	3088801	L=600x2 W=50pin	Lower	AQ560 series
	S713U	3110136	L=1200 W=64pin	Upper	AQ600 series
	S713L	3110137	L=700x2 W=50pin	Lower	AQ600 series
	S714U	116687A	L=1000 W=50pin	Upper	AQ750 series Right/Left
	S714L	3087630	L=950 W=50pin	Lower	AQ750 series Right/Left

Sodick

Various

Picture	Code No.	Original P/No.	Dimension	Position	Application
	S715U		L=820 W=50pin	Upper	AG400 series
	S715L		L=500 W=50pin	Lower	AG400 series
	S716U	216506B	L=1050 W=50pin	Upper	AG600 series Left
	S716U-1	216507B	L=1050 W=50pin	Upper	AG600 series Right
	S716L	11614XA	L=700 W=50pin	Lower	AG600 series Right/Left
	S717U	3088180	L=1200 W=64pin	Upper	AD360 series
	S717L	x	L=400x2 W=50pin	Lower	AD360 series
	S800	3530615	12x22		AP200 series Door packing
	S900				

Sodick

Conveyor Belt

Code No	OEM No	Width x Length	Available	Code No	OEM No	Width x Length	Available
BS501	3050123	18 x 465	O	BS529	2040995	18 x 3715	O
BS502	3050117	18 x 2600	O	BS530	2040610	18 x 3895	O
BS503	3050120	18 x 3150	O	BS531	2040611	18 x 3970	O
BS504	2040061	18 x 2680	O	BS532	2040779	18 x 3870	O
BS505	2040068	18 x 3235	O	BS533	2040817	18 x 3820	O
BS506	3050125	42 x 1590	O	BS534	2040497	18 x 1705	O
BS507	3050126	42 x 1665	O	BS535	2040053	18 x 1740	O
BS508	3050128	18 x 2700	O	BS536	2040138	18 x 1690	O
BS509	3050121	18 x 3255	O	BS537	2040139	18 x 1785	O
BS510	3050127	42 x 1916	O	BS538	2040049	18 x 1595	O
BS511	3050128	42 x 2010	O	BS539	2040050	18 x 1630	O
BS512	2040062	18 x 2780	O	BS540	2040140	18 x 1580	O
BS513	2040069	18 x 3335	O	BS541	2040141	18 x 1675	O
BS514	2040076	42 x 1945	O	BS542	2040055	18 x 1795	O
BS515	2040077	42 x 2040	O	BS543	2040056	18 x 1830	O
BS516	2050115	18 x 1340	O	BS544	2040142	18 x 1780	O
BS517	2050119	18 x 2960	O	BS545	2040143	18 x 1875	O
BS518	2040074	18 x 3840	O	BS546	2040058	18 x 1985	O
BS519	2040048	18 x 1350	O	BS547	2040059	18 x 2020	O
BS520	2040066	18 x 3034	O	BS548	2040144	18 x 1970	O
BS521	2040075	18 x 3950	O	BS549	2040145	18 x 2065	O
BS522	2040774	18 x 3045	O	BS550	2040536	18 x 2360	O
BS523	2040773	18 x 3085	O	BS551	2040634	18 x 2520	O
BS524	2040814	18 x 3434	O	BS552	2040534	18 x 1370	O
BS525	2040813	18 x 3475	O	BS553	2040535	18 x 1390	O
BS526	2040996	18 x 3670	O	BS554	2041088	18 x 1890	O

